HCI and Design

SPRING 2016

Topics for today

- Web Analytics

- Experiment Design
  - Trying to prove "causation"

- Activity

Web Analytics

Web analytics is the measurement, collection, analysis, and reporting of quantitative web data to understand and optimize usage.

Web analytics can be useful for UX in several ways:

- Understanding demographics
- Understanding geography / language
- Understanding return vs. new visitors
- Understanding flow through the site
- Understanding time spent on each page
- Etc.

Example: Google Analytics

Free web analytics tool

Copy/paste a small amount of code to your website to enable analytics

Watch all the data!

Tracking revenue

Understanding how people navigate your site

Understanding demographics

Be careful…

- Web analytics can quickly become a black hole of "interesting" data without any actionable insight.
  - Go in with concrete questions that can be answered
  - e.g. We're creating a tool that targets elderly users. Is it actually being used by the elderly?
    - If so, on what devices?
    - If not, who IS using it?

- Even a "free" analytics service can end up costing a lot if it redirects resources from more productive uses.

Topics for today

- Web Analytics

- Experiment Design
  - Trying to prove "causation"

- Activity

A note on assignments/grades

The designers gave you two assignments.
- ◦ A2: We have decided not to grade this one.
- ◦ A3: Has been graded and you should have received that from the TAs.

Project midway grade/feedback you should have in ~ a week

Still ahead:
- ◦ One more assignment coming (visualization)
- ◦ Project final report and presentation

Experiment Design

Designing good controlled experiments is an art
- You cannot possibly learn everything in one class!

Today's goal:
- Teach you the very basics of experiment design
- Make you aware of things you need to think about
- Give you a starting point for figuring out how to do this if it is something you need in the future

Why bother with experiment design?

To establish strong evidence linking manipulated **treatments** to changes in one or more **outcomes**.

To determine **causation.**

- ◦ Changes to x cause changes to y in this measurable way.

Types of HCI studies

Descriptive investigations focus on constructing an accurate description of what is happening.

Relational investigations enable the researcher to identify relations (correlations) between multiple factors. However, relational studies can rarely determine the causal relationship between multiple factors.

Experimental research allows the establishment of a **causal relationship**. Usually these are controlled experiments.

Types of HCI studies

Type of research	Focus	General claims	Typical methods
Descriptive	Describe a situation or a set of events	X is happening	Observations, field studies, focus groups, interviews
Relational	Identify relations between multiple variables	X is related to Y	Observations, field studies, surveys
Experimental	Identify causes of a situation or a set of events	X is responsible for Y	Controlled experiments

Table 2.1 Relationship between descriptive research, relational research, and experimental research.

Hypotheses

An experiment normally starts with a hypothesis.

A hypothesis is a precise problem statement that can be directly tested through an empirical investigation.

Compared with a theory, a hypothesis is a smaller, more focused statement that can be examined by a single experiment.

Example: "The iOS virtual keyboard is faster and more accurate than the Android virtual keyboard."

Null hypothesis

Null hypothesis: typically states that there is no difference between experimental treatments.

◦ *e.g., There are no detectable differences in the speed or accuracy of the iOS keyboard and the Android keyboard.*

The goal of an experiment is to find statistical evidence to confirm or reject null hypotheses in a reliable fashion.

A hypothesis should specify the independent variables and dependent variables.

Independent Variables

Independent variables (IV): the factors that the researchers are interested in studying or the possible "cause" of the change.

◦ IV is independent of a participant's behavior.

◦ IV is usually the treatments or conditions that the researchers can control.

Independent variables are things the experimenter manipulates.

Typical independent variables in HCI

Those that relate to technology
- Types of technology or device (e.g. keyboard type)
- Types of design (e.g. design A vs. design B)

Those that relate to users: age, gender, computer experience, professional domain, education, culture, motivation, mood, and disabilities

Those that relate to context of use:
- Physical status
- User status
- Social status

Dependent Variables

Dependent variables (DV) refer to the outcome or effect that the researchers are interested in.

- DV is dependent on a participant's behavior or the changes in the IVs
- DV is usually the outcomes that the researchers need to measure.

Dependent variables are things the experimenter measures.

Typical dependent variables in HCI

Efficiency:
◦ e.g., task completion time, speed

Accuracy:
◦ e.g., error rate

Subjective satisfaction:
◦ e.g., Likert scale ratings

Ease of learning and retention rate

Physical or cognitive demand
◦ e.g., NASA task load index

Factors

Same as independent variables.

An experiment with a control group and a treatment group is a single-factor (or one-way) experiment.

Example:
- Two groups: *treatment* gets broccoli every morning, *control* does not.
- The factor or independent variable might be called *food*.
- The measure or dependent variable is number of pushups at 11 am.

Levels

Levels are values a factor can assume (i.e. groups).

Examples:
◦ Factor food has two levels: broccoli, no-broccoli
◦ Factor keyboard has two levels: iOS, Android
◦ Factor posture has three levels: sitting, standing, walking

Finding differences among levels is what an experiment is all about.

Between-subjects design

Each participant (subject) experiences <u>only one</u> level of a factor

- ◦ requires more participants
- ◦ but avoids possible confounds
- ◦ easier to analyze statistically

- ◦ Example:
  - ◦ Participants type using either iOS keyboard OR Android keyboard, but not both.

Within-subjects design

Each participant (subject) experiences <u>all</u> levels of a factor
  ◦ much more powerful statistically
  ◦ but can introduce confounds

  ◦ Example:
    ◦ Participants complete typing tasks using both an iOS keyboard AND Android keyboard.

When to use between-subjects vs. within-subjects?

Carryover effects

The effect of one condition "carries over" into the next condition

Common in within-subject designs

e.g., learning from one condition to the next

Neutralize carryover effects with **counterbalancing**

Counterbalancing

Choosing an order of presentation to neutralize any carryover effects.

Example:

p1: iOS, Android
p2: Android, iOS
p3: iOS, Android
p4: Android, iOS
...

Three conditions:

p1: A, B, C

p2: A, C, B

p3: B, A, C

p4: B, C, A   fully counterbalanced

p5: C, A, B

p6: C, B, A

Mixed factorial design

Contains at least one between-subjects factor and one within-subjects factor.

Also called split-plot designs.

e.g. Do males and females perform differently with different mobile keyboards?
- Between subjects factor sex with two levels: male, female
- Within subjects factor keyboard with two levels: iOS and Android

Confounds

Any unaccounted for factors that could explain your results.

Serious confounds ruin experiments.

Examples:

unequal treatments or procedures
- e.g., participants typed 5 phrases with iOS and 20 with Android

sources of non-random variation
- e.g., all participants who used iOS were teenage boys

systematic measurement error
- e.g., task start time was different for Android than for iOS

various other biases (discussed in previous classes)

Avoiding confounds

Remove or exclude
◦ simply make the confound not exist

Spread equally
◦ randomize such that the confound is 'noise'

Manipulate as a factor
◦ systematically control a confound's influence

Record as a covariate
◦ we can then test whether it had an effect

Randomization

Randomization: the random assignment of treatments to the experimental units or participants

In a totally randomized experiment, no one, including the investigators themselves, is able to predict the condition to which a participant is going to be assigned

Practice?

When comparing a 'new thing' to an 'old thing,' how can we make a fair comparison?

- what <u>is</u> a fair comparison? (is there one?)

How do we handle practice?

Example:

- Typing on a familiar QWERTY keyboard versus a new, unfamiliar experimental keyboard.

Handling practice

Recruit participants with equal (non-)familiarity with treatments
- ◦ could we find people who have never used a QWERTY keyboard?
- ◦ would testing them answer our research question?

Give fixed amount of practice
- ◦ can be fixed amount of time, or fixed # of trials

Practice until a certain proficiency is reached
- ◦ requires real-time feedback, go until performance is equal, report time taken to that point, then study further

Run a longitudinal study
- ◦ test over multiple sessions and construct learning curves

Learning curves

New technique

Old technique

crossover point

proficiency

session or time

Example 1

HCI researchers wanted to determine if the size of a device's screen affects how quickly people are able to read news articles. They created an experiment in which they asked 40 participants to read a news article on either a smartwatch, smartphone, tablet, or desktop. They measured how long it took each participant to read the article.

Factor(s) / Independent variable(s)?
◦ Within or between subjects?
◦ Levels?

Dependent variable(s)?

Possible issues/confounds to think about?

Example 2

Icons in user interfaces can be used for many purposes. But are icons always better than text, or a mix of icons and text, or just the text? Nicki tried to answer this question by performing a controlled experiment with three different interfaces 1. Icons only 2. Icons with command name and 3. Command names only. The experiment measured users preference for each of the three interfaces.

Factor(s) / Independent variable(s)?
◦ Within or between subjects?
◦ Levels?

Dependent variable(s)?

Possible issues/confounds to think about?

Example 3

Researchers wanted to study how the temperature of the room affected male and female students performance on their final exam. They split the class into two groups, with each group having approximately equal numbers of males and females. One group completed the test in a room at 60 degrees and the other at 90 degrees. Researchers measured their overall test score along with the time that it took to complete the test.

Factor(s) / Independent variable(s)?
◦ Within or between subjects?
◦ Levels?

Dependent variable(s)?

Possible issues/confounds to think about?

Limitations of Experimental Research

Experimental research requires well-defined, testable hypotheses that consist of a limited number of dependent and independent variables.

Experimental research requires strict control of factors that may influence the dependent variables.

Lab-based experiments may not be a good representation of users' typical interaction behavior.

Experiments done "in the wild" are more difficult to control.

Next time…

- Statistical significance
- Why is it important?
- How to test for statistical significance?

Activity

Work alone or with your project teammates.

In your project, what controlled experiment could you run?
- What is your hypothesis? The null hypothesis?
- How many participants would you recruit?
- What would you have participants do?
- What is your "control" group, "treatment" group(s)?
- What data would you collect?
  - *What is your independent variable(s) – Factor(s) and levels?*
  - *What is your dependent variable(s) – measure(s)?*
  - *Would you use a between-subjects or within-subjects design? Why?*
- What are possible confounds or issues to keep in mind?
- **Write your name(s) on it and turn it in!**